
Integrating EVPN and Activating Proxy Agent Functionality: Insights and Challenges from an IXP Network


Jonathan Matauschek Peering Consultant Global DE-CIX

Slides by: Bernhard Hahn Head of Infrastructure DE-CIX










Broadcast, Unknown Unicast, Multicast Noise (BUM, sliced mirrored)





Port Security at DE-CIX

Ingress

Broadcast (L2, 1Mbit/s)

U-Unicast (L2, 1Mbit/s)

Multicast (L2, 1Mbit/s)

Unicast (BE)

IXP


Static MAC + MAC ACLs


Egress


BUM (L2, 5Mbit/s)


Unicast (BE)






































Migration Scenarios

Scenario	Small Steps	Reduce Complexity	Reduce Downtimes
Router by Router	00	O O	•••
Location by Location	©	•	•
Service by Service	•	00	




Testing - Network





Testing — Configuration Systems









Broadcast, Unknown Unicast, Multicast Noise (BUM, sliced mirrored)







DE-CIX Frankfurt BUM traffic packets per second* by protocol


DECIX








IPv4 BUM traffic distribution by frame type per technology



IPv6 UM traffic distribution by frame type per technology





- Traffic distribution with LDP entropy labels not working as expected
- IPv6 ND Agent Replies with wrong source IP Address, Software upgrade required



